

# WEST Search History





DATE: Wednesday, June 27, 2007

Hide?	Set Name	Query	Hit Count
		<i>DB=USPT; PLUR=YES; OP=OR</i>	
<input type="checkbox"/>	L31	((("QAE" or "QMA") same (quaternary near2 ammonium)) same ((dimethyl near2 ammonium) or (trimethyl near2 ammonium)))	4
<input type="checkbox"/>	L30	L28 and (resin\$ or bead\$ or anion)	1123
<input type="checkbox"/>	L29	L28 and (reson\$ or bead\$ or anion)	880
<input type="checkbox"/>	L28	((dimethyl near2 ammonium) same (trimethyl near2 ammonium)) same (quaternary near2 ammonium)	1434
<input type="checkbox"/>	L27	((dimethyl near2 ammonium) same(trimethyl near2 ammonium)) same (quaternary near2 ammonium)	1434
<input type="checkbox"/>	L26	((dimethyl near2 ammonium) or (trimethyl near2 ammonium)) same (quaternary near2 ammonium)	5276
<input type="checkbox"/>	L25	((("QAE" same "QMA") same (quaternary near2 ammonium)))	2
<input type="checkbox"/>	L24	((("QAE" or "QMA") same (quaternary near2 ammonium)))	71
<input type="checkbox"/>	L23	("QAE" same (quaternary near2 ammonium))	64
		<i>DB=PGPB; PLUR=YES; OP=OR</i>	
<input type="checkbox"/>	L22	20040121336	1
		<i>DB=PGPB,USPT; PLUR=YES; OP=OR</i>	
<input type="checkbox"/>	L21	L20 and (spin\$3 or centrifug\$5)	82
<input type="checkbox"/>	L20	L18 and (DNA or nucleic or RNA)	105
<input type="checkbox"/>	L19	L18 same (DNA or nucleic or RNA)	29
<input type="checkbox"/>	L18	(quaternary near2 ammonium) same bead\$	668
<input type="checkbox"/>	L17	L16 and linker\$	7
<input type="checkbox"/>	L16	L15 and (DNA or RNA or nucleic)	20
<input type="checkbox"/>	L15	(QMA or QAE) same (bead\$) same (ion near2 exchange\$)	30
<input type="checkbox"/>	L14	(QMA or QAE) same (bead\$) same (DNA or RNA or nucleic)	6
<input type="checkbox"/>	L13	(QMA or QAE) same (bead\$) same (ion near2 exchange\$) same (DNA or RNA or nucleic)	1
<input type="checkbox"/>	L12	L11 and (ion near2 exchange\$)	448
<input type="checkbox"/>	L11	L10 and linker	457
<input type="checkbox"/>	L10	L9 and (DNA or RNA or nucleic)	485
<input type="checkbox"/>	L9	L8 and (centrifug\$5 or spin\$3 or spun\$)	511
<input type="checkbox"/>	L8	(QMA or QAE) same (bead\$)	532
<input type="checkbox"/>	L7	L6 and (centrifug\$5 or spin\$3 or spun\$)	956
<input type="checkbox"/>	L6	(QMA or QAE) and (bead\$)	1039
		<i>DB=USPT; PLUR=YES; OP=OR</i>	

<input type="checkbox"/>	L5	4935342.pn.	1
<i>DB=PGPB; PLUR=YES; OP=OR</i>			
<input type="checkbox"/>	L4	20050106576	1
<input type="checkbox"/>	L3	20060110725	1
<input type="checkbox"/>	L2	20050272070	1
<input type="checkbox"/>	L1	20060088826	1

END OF SEARCH HISTORY

**Scholar** All articles - **Recent articles** Results 1 - 10 of about 331 for (QAE quaternary amino ethyl) ammonium

**All Results**

[E Beachey](#)

[M Maguire](#)

[J Seyer](#)

[A Kang](#)

[R Wolfe](#)

... extracted from group A streptococci with pepsin: covalent structure of the **amino terminal region of ...** - all 2 versions »

EH Beachey, GH Stollerman, EY Chiang, TM Chiang, ... - Journal of Experimental Medicine, 1977 - Rockefeller Univ Press

... and was partially purified by ribonuclease digestion and **ammonium** sulfate precipitation ... to a 1.6 × 32 cm column of **quaternary amino ethyl (QAE)-** Sephadex A50 ...

Cited by 49 - [Related Articles](#) - [Web Search](#)

**Purification and biochemical characteristics of beta-D-xylanase from a thermophilic fungus, ...** - all 12 versions »

J Lin, LM Ndlovu, S Singh, B Pillay - Biotechnology and Applied Biochemistry, 1999 - bab.portlandpress.com

... most of the xylanase activity was treated with **ammonium** sulphate to ... The dialysate was loaded on to a **quaternary amino-ethyl (QAE)-**Sephadex A25 column (1 cm<sup>2</sup> × 70 ...

Cited by 30 - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [BL Direct](#)

**Purification and characterization of angiotensin-binding protein from porcine liver cytosolic ...** - all 4 versions »

H HAGIWARA, N SUGIURA, K WAKITA, S HIROSE - European Journal of Biochemistry, 1989 - Blackwell Synergy

... the protein was achieved by a combination of **ammonium** sulfate fractionation ... **quaternary aminoethyl(QAE)-**Toyopearl were from Tosoh (Tokyo, Japan); Shodex QA-824 ...

Cited by 10 - [Related Articles](#) - [Web Search](#)

**Partial Resolution of the Enzymes Catalyzing Photophosphorylation XIII. PROPERTIES OF ISOLATED ...** - all 2 versions »

N Nelson, DW Deters, H Nelson, E Racker - Journal of Biological Chemistry, 1973 - ASBMB

... CF1, chloroplast coupling factor 1; **QAE, quaternary aminoethyl**; Tricine, -VT ... subunit was purified using a **QAE-Sephadex** column ... TABLE I Amino acid anal&s of CFI ...

Cited by 24 - [Related Articles](#) - [Web Search](#)

**Synthesis of Chlorin e6-Transferrin and Demonstration of Its Light-Dependent in vitro Breast Cancer ...** - all 5 versions »

PG Cavanaugh - Breast Cancer Research and Treatment, 2002 - Springer

... **QAE (quaternary amino ethyl)** Sephadex A-50 (Sigma Chemical, St ... To make the conjugate, to 0.5 ml of **QAE-sephadex-transferrin** ... 150µL of 10 mg/ml EDC (1-Ethyl-3-[3 ...

Cited by 5 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

**Aspartate-P-Semialdehyde Dehydrogenase from Escherichia coli - all 4 versions »**

JF BIELLMANN, EID Pierre, C HIRTH, H JORNVALL - Eur. J. Biochem, 1980 - Blackwell Synergy

... 23 from Whatman and DEAE-Sephadex A- 50, **quaternary diethyl (2-hydroxypropyl)aminoethyl (QAE)-**Sepha- dex and ... After **ammonium** sulfate precipitation (65 % sat- ...

Cited by 23 - [Related Articles](#) - [Web Search](#)

**Dielectric properties of quaternary ammonium ion-exchange beads dispersed in aqueous phases - all 2 versions »**

A Ishikawa, T Hanai, N Koizumi - Colloid & Polymer Science, 1984 - Springer

... out for dense sediments of **quaternary ammonium** type anion ... The anion-exchange resins used were **QAE-Sephadex A** ... gels with diethyl(2-hydroxypropyl)**aminoethyl** groups ...

Cited by 4 - [Related Articles](#) - [Web Search](#)